


Eclipse™

ROOF
SYSTEM



ECLIPSE™ ROOF SYSTEM

BEAUTY + FUNCTIONALITY

Strong. Sleek. No Leaks. Exceptional Value.

Smartly designed with unmatched curb appeal, the patented* Eclipse Roof System is strong and weathertight.

For the first time ever, you'll benefit from a roof system that combines the structural integrity of a through-fastened roof with the sleek appearance of a standing seam roof. All at a lower cost than standing seam roof systems.

STRONG.

- The unique patented rib and snap-on batten system allows through-fastening of 36" wide panels.
- Through-fastened panels provide diaphragm strength not available with most standing seam panels.
- The shape and height of the major rib give the Eclipse Roof System panel superior strength.

SLEEK. NO LEAKS.

- The attractive batten snaps over the ribs, concealing the screws, creating bold clean lines.
- The batten conceals the screws making it weathertight.

EXCEPTIONAL VALUE.

- Our patented 36" wide Eclipse Roof System panel installs more quickly and easily than the typical standing seam panel.
- The Eclipse Roof System requires half the number of panels and fewer screws than the typical standing seam roof system.
- The 26 gauge Eclipse Roof System panel can be installed over open purlins. No roof deck is required, saving material and installation costs.



83 screws per 100 sq. ft. (exposed)




33 screws per 100 sq. ft. (concealed)

*U.S. Patent No. 9,127,451 B1 | Canadian Patent Pending

PANEL SPECIFICATIONS



- 26 Gauge, 28 Gauge
- AZ50 Galvalume
- Valspar's Weather XL™ or Fluropon® Paint System
- Available in Lester standard colors. Custom colors require minimum purchase.




Trim Options:

- Concealed Fasteners
- Exposed Fasteners



- 26 Gauge panel applies over open framing; roof deck not required
- 28 Gauge panel; roof deck recommended

Panel end cap not shown



LESS LABOR & BETTER VALUE

ECLIPSE™ ROOF SYSTEM VS. STANDING SEAM ROOF SYSTEM (SSR)

ITEM	36" ECLIPSE	16" SSR
# OF ROOF PANELS	42	94
# OF PORCH PANELS	21	47
# OF 4'x8' ROOF DECK PANELS	NOT REQUIRED	112
PURLINS TO SUPPORT ROOF DECK (LIN.FT.)	NOT REQUIRED	186
# OF ROOF PANEL ATTACHMENT FASTENERS	1333	1632
INSTALLATION LABOR HOURS	40	98



As our products continually improve, we reserve the right to change product specifications without notice. Colors shown are representative only and are limited by printing and viewing conditions. For exact colors, ask your Lester rep for samples.

© 2016 Lester Building Systems, LLC

Rev. 02/16

LESTER
BUILDINGS

800-826-4439 | WWW.LESTERBUILDINGS.COM

valspar